

# **EX40™ 16ST & 18LX**

**Self-Contained Extractors** 

- **Strong Cleaning Performance** to Ensure Healthy Indoor Air.
- Easy to Use with One-Touch™, Intuitive Controls
- Increased Capacity to Maximize Cleaning Efficiency



The CRI Certified Clarke EX40™ 16ST and 18LX Self-Contained Extractors combine Clarke's proven high level cleaning performance with new features designed to maximize ease of use and efficiency.







Clarke

# **Clarke EX40™ 16ST & 18LX**



# A new approach to making carpets last.

Clarke is carrying on their long tradition of durable, user-friendly extractors with the introduction of the EX40™ 16ST and 18LX self-contained extractors. These CRI certified cleaning machines are proven to very effectively remove soil from your carpets, improving indoor air quality and extending the life of your carpets. As cleaning professionals have come to expect, these Clarke machines are also compact, extremely versatile and easy to operate. Plus, with One-Touch™ control cleaning your carpets is as simple as switching on and selecting your cleaning mode.

### An easier way to clean better, faster.

Building on Clarke's 100 years of building durable, robust and effective cleaning equipment, the Clarke EX40 16ST and 18LX self-contained extractors provide you with a proven ability to clean carpets efficiently and rapidly. A new, larger tank means fewer refills and longer cleaning time, while the unique handle design provides enhanced maneuverability and ergonomics. These machines are designed to not only make cleaning easier, but faster, too.

### User-friendly heavy-duty cleaning.

Productivity and durability aren't the only benefits of the EX40 16ST and 18LX. They are also the most user-friendly extractors on the market. Convenient features of the EX40 include a front-mounted drain hose and removable tank, making it easier than ever to empty the tank. Also, the optional integrated hand tool is attached directly to the unit, preventing the need for replacement parts. The floating brush head allows for better contact with the carpet, improving suction and cleaning power, and maintenance and storage are both tools-free, saving time and hassle for the operator.



#### **One-Touch Controls**

One-Touch Controls make operation as simple as switching on and cleaning. Cleaning modes can be easily selected with a single button on the control panel.



### **Full Rotating Handle Adjustment**

An adjustable handle allows for easy maneuverability, decreasing the need for backing into tight spaces. (18LX model only)



#### **Larger Tank Capacity**

The removable tank's increased size extends cleaning time and decreases the need for emptying.

# Extractors to take on every job.



- 1 Easy One-Touch™ controls located on panel
- **2** Ergonomic handle for improved control
- 3 Increased-capacity 12 gallon water tank
- 4 High-contact floating brush head
- 5 Easy access front-mounted drain hose
- 6 Optional integrated hand tool for spot-cleaning
- **7** Self-aligning vacuum shoe provides improved suction



#### **Floating Brush Head**

The floating brush head creates better contact with the carpet and improved suction, leaving your carpets dryer.



**Front-Mounted Drain Hose** 

A front-mounted drain hose makes emptying the tank much easier for the operator.



**Optional Hand Tool** 

Optional hand tool is easy to access, allowing you to reach upholstery and stairs.

| SPECIFICATIONS                  | EX40™ 16ST       | EX40™ 18LX       |
|---------------------------------|------------------|------------------|
| Part Number                     | 56265504         | 56265505         |
| Cleaning Path                   | 16 in (41 cm)    | 18 in (46 cm)    |
| Solution Tank                   | 9 gal (34 L)     | 12 gal (45 L)    |
| Recovery Tank                   | 7 gal (26.5 L)   | 10 gal (38 L)    |
| Pump                            | 120 psi          | 120 psi          |
| Flow Rate Interim Cleaning Mode | N/A              | N/A              |
| Flow Rate Restorative Mode      | 0.7 gpm          | 0.7 gpm          |
| Vacuum Motor                    | 1.5 hp 3 stage   | 1.5 hp 3 stage   |
| Waterlift                       | 120 in           | 120 in           |
| Brush Motor                     | 1/3 hp           | 1/3 hp           |
| Brush Size                      | 16 in (41 cm)    | 18 in (46 cm)    |
| Vacuum Shoe Size                | 18.75 in (48 cm) | 20.75 in (53 cm) |
| Flip Handle                     | No               | Yes              |
| Power Cable                     | 50 ft            | 50 ft            |
| Minimum Machine Length          | 28 in            | 29.25 in         |
| Machine Width                   | 19.25 in         | 22.75 in         |
| Tank Height                     | 32 in            | 35.25 in         |
| Gross Weight                    | 102 lb           | 114 lb           |
| Sound                           | 68 dB A          | 68 dB A          |



Specifications are subject to change without notice.



- 16 inch (41 cm) nylon standard carpet brush (pn 56265044)
- 16 inch (41 cm) nylon hard floor brush (pn 56265175)
- 16 inch (41 cm) MidGrit 240 hard floor brush (pn 56265176)
- 18 inch (46 cm) nylon standard carpet brush (pn 56265099)
- 18 inch (46 cm) nylon hard floor brush (pn 56265177)
- 18 inch (46 cm) MidGrit 240 hard floor brush (pn 56265178)
- Wand assembly with soft and hard floor tools (pn 56314402)
- Wand assembly with soft floor tool (pn 56265173)
- Hand upholstery tool (pn 56220070)
- Heavy duty soft floor wand (pn 56265305)
- Plug adaptor kit (pn 56265309)
- 15 foot (4.6 m) solution and recovery hose assembly (pn 56265174)
- Hose assembly 96 inches (pn 56265753)
- Hose assembly 184 inches (pn 56265754)
- Hand tool / hose assembly (pn 56265767)
- Hand tool / hose assembly upgrade for EX40 (pn 56265810)
- Hard floor tool assembly (pn 56265675)

#### **Ease of Use**

- Ergonomic handles
- Integrated hand tool (optional)
- Floating brush head
- Simplified storage and maintenance
- Drain hose on front
- Removable recovery tank

## **Productivity**

- Increased capacity while improving maneuverability
- Improved cleaning performance
- Faster dry times



©2016 Nilfisk, Inc. All rights reserved. P/N L3440C 4/16

9435 Winnetka Avenue North • Brooklyn Park, MN 55445

240 Superior Boulevard • Mississauga, Ontario, Canada L5T 2L2 Phone: 800.668.8400 • Fax: 800.263.5111

**Clarke**<sup>®</sup>

Phone: 800.253.0367 • Fax: 800.825.2753



